b.1

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	26"	31½"	31½"	29"	6.4 yds.	115.1'	70 lbs.	34.26'/1
419 mm	660 mm	800 mm	800 mm	737 mm	5.9 m	10.7 sqm	31.8 kg	.97 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1496	1624	2023	2080	2129	2158	2193	2236	2279	2343	2449	2549	2855

4402

GREENGUARD Certified

4402 Saddle Stitch

Fully upholstered. **Standard HR foam back pillow.** Brushed nickel legs. Certain two-way patterns or small horizontal designs are not suitable for application on this product. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.2 yds leather: 79.5 sq. ft.
B) One fabric or leather for seat
yardage: 1.4 yds leather: 23.0 sq. ft.
C) One fabric or leather for back pillow
yardage: .9 yds leather: 14.6 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1

17½"	26¼"	35½"	32½"	29½"	6.7 yds.	127.6'	99 lbs.	34.26'/1
445 mm	667 mm	902 mm	826 mm	749 mm	6.1 m	11.9 sqm	44.9 kg	.97 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1690	1824	2241	2301	2353	2383	2420	2465	2509	2576	2688	2792	3112

4302AS

4302AS Saddle Stitch

Fully upholstered. **Loosely structured dacron wrapped foam back pillows.** Brushed nickel base. Certain two-way patterns or small horizontal designs are not suitable for application on this product. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

4302BS, 4302BF

GREENGUARD Certified

4302BS Saddle Stitch **4302BF Flange Stitch – available on leather, suede or thick felt only**

Fully upholstered. **Standard HR foam back pillow.** Brushed nickel base. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

When using a combination of fabrics or leathers for **4302AS, 4302BS or 4302BF**, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds leather: 85.8 sq. ft.
B) One fabric or leather for seat
yardage: 1.3 yds leather: 25.1 sq. ft.
C) One fabric or leather for back pillow
yardage: .9 yds leather: 10.5 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
b.1	17½"	26¼"	62"	33½"	30"	9.6 yds.	194.6'	115 lbs.	68.33'/1
	445 mm	667 mm	1575 mm	851 mm	762 mm	8.8 m	18.1 sqm	52.2 kg	1.9 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3045	3237	3835	3920	3995	4037	4091	4155	4219	4315	4475	4624	5083

4335AS

4335AS Saddle Stitch

Fully upholstered. **Loosely structured dacron wrapped foam back pillows.** Brushed nickel base. The following Bernhardt Textiles are not suitable for application on this product: 3295, 3347, 3352, 3353 and 3360. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

4335BS, 4335BF

GREENGUARD Certified

4335BS Saddle Stitch **4335BF Flange Stitch – available on leather, suede or thick felt only**

Fully upholstered. **Standard HR foam back pillow.** Brushed nickel base. The following Bernhardt Textiles are not suitable for application on this product: 3295, 3347, 3352, 3353 and 3360. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

When using a combination of fabrics or leathers for **4335AS, 4335BS or 4335BF**, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 6.7 yds leather: 113.0 sq. ft.
B) One fabric or leather for seat
yardage: 2.5 yds leather: 54.4 sq. ft.
C) One fabric or leather for back pillow
yardage: 2.4 yds leather: 37.7 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1	17½"	26¼"	95"	33½"	30"	17.7 yds.	293.0'	165 lbs.	97.96'/1			
	445 mm	667 mm	2413 mm	851 mm	762 mm	16.2 m	26.4 sqm	76.2 kg	2.8 cu.			

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3876	4230	5332	5489	5627	5705	5804	5922	6040	6217	6512	6787	7633

4337AS

4337AS Saddle Stitch

Fully upholstered. **Loosely structured dacron wrapped foam back pillows.** Brushed nickel base. The following Bernhardt Textiles are not suitable for application on this product: 3295, 3347, 3352, 3353 and 3360. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

4337BS, 4337BF

GREENGUARD Certified

4337BS Saddle Stitch **4337BF Flange Stitch – available on leather, suede or thick felt only**

Fully upholstered. **Standard HR foam back pillow.** Brushed nickel base. The following Bernhardt Textiles are not suitable for application on this product: 3295, 3347, 3352, 3353 and 3360. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

When using a combination of fabrics or leathers for **4337AS, 4337BS or 4337BF**, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 8.6 yds leather: 142.3 sq. ft.
B) One fabric or leather for seat
yardage: 5.6 yds leather: 92.1 sq. ft.
C) One fabric or leather for back pillow
yardage: 4.1 yds leather: 39.8 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
b.1	17½"	26¼"	61½"	33½"	30"	12.1 yds.	192.5'	100 lbs.	68.33'/1
	445 mm	667 mm	1562 mm	851 mm	762 mm	11.1 m	17.9 sqm	45.4 kg	1.9 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2908	3150	3903	4011	4105	4159	4226	4307	4387	4508	4710	4898	5476

4315AS

4315AS Saddle Stitch

Left Arm Facing. Fully upholstered. **Loosely structured dacron wrapped foam back pillows.** Brushed nickel base. The following Bernhardt Textiles are not suitable for application on this product: 3295, 3347, 3352, 3353 and 3360. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

4315BS, 4315BF

GREENGUARD Certified

4315BS Saddle Stitch **4315BF Flange Stitch – available on leather, suede or thick felt only**

Left Arm Facing. Fully upholstered. **Standard HR foam back pillow.** Brushed nickel base. The following Bernhardt Textiles are not suitable for application on this product: 3295, 3347, 3352, 3353 and 3360. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

When using a combination of fabrics or leathers for **4315AS, 4315BS or 4315BF**, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds leather: 94.2 sq. ft.
B) One fabric or leather for seat
yardage: 3.8 yds leather: 52.3 sq. ft.
C) One fabric or leather for back pillow
yardage: 2.8 yds leather: 39.8 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1	17½"	26¼"	61½"	33½"	30"	12.1 yds.	192.5'	100 lbs.	68.33'/1			
	445 mm	667 mm	1562 mm	851 mm	762 mm	11.1 m	17.9 sqm	45.4 kg	1.9 cu.			

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2908	3150	3903	4011	4105	4159	4226	4307	4387	4508	4710	4898	5476

4325AS

4325AS Saddle Stitch

Right Arm Facing. Fully upholstered. **Loosely structured dacron wrapped foam back pillows.** Brushed nickel base. The following Bernhardt Textiles are not suitable for application on this product: 3295, 3347, 3352, 3353 and 3360. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

4325BS, 4325BF

GREENGUARD Certified

4325BS Saddle Stitch **4325BF Flange Stitch – available on leather, suede or thick felt only**

Right Arm Facing. Fully upholstered. **Standard HR foam back pillow.** Brushed nickel base. The following Bernhardt Textiles are not suitable for application on this product: 3295, 3347, 3352, 3353 and 3360. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

When using a combination of fabrics or leathers for **4325AS, 4325BS or 4325BF**, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds leather: 94.2 sq. ft.
B) One fabric or leather for seat
yardage: 3.8 yds leather: 52.3 sq. ft.
C) One fabric or leather for back pillow
yardage: 2.8 yds leather: 39.8 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
b.1	17½"	26¼"	89½"	33½"	30"	17.2 yds.	272.0'	185 lbs.	101.64'/1
	445 mm	667 mm	2273 mm	851 mm	762 mm	15.7 m	25.3 sqm	83.9 kg	2.9 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3739	4083	5154	5307	5440	5517	5612	5727	5842	6014	6300	6568	7390

4317AS

4317AS Saddle Stitch

Left Arm Facing. Fully upholstered. **Loosely structured dacron wrapped foam back pillows.** Brushed nickel base. The following Bernhardt Textiles are not suitable for application on this product: 3295, 3347, 3352, 3353 and 3360. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

4317BS, 4317BF



GREENGUARD Certified

4317BS Saddle Stitch **4317BF Flange Stitch – available on leather, suede or thick felt only**

Left Arm Facing. Fully upholstered. **Standard HR foam back pillow.** Brushed nickel base. The following Bernhardt Textiles are not suitable for application on this product: 3295, 3347, 3352, 3353 and 3360.. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

When using a combination of fabrics or leathers for **4317AS, 4317BS or 4317BF**, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric welt upcharges.

A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 6.3 yds leather: 115.1 sq. ft.
B) One fabric or leather for seat
yardage: 6.2 yds leather: 85.8 sq. ft.
C) One fabric or leather for back pillow
yardage: 4.1 yds leather: 60.7 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
b.1	17½"	26¼"	89½"	33½"	30"	17.2 yds.	272.0'	185 lbs.	101.64'/1
	445 mm	667 mm	2273 mm	851 mm	762 mm	15.7 m	25.3 sqm	83.9 kg	2.9 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3739	4083	5154	5307	5440	5517	5612	5727	5842	6014	6300	6568	7390

4327AS

4327AS Saddle Stitch

Right Arm Facing. Fully upholstered. **Loosely structured dacron wrapped foam back pillows.** Brushed nickel base. The following Bernhardt Textiles are not suitable for application on this product: 3295, 3347, 3352, 3353 and 3360. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

4327BS, 4327BF



GREENGUARD Certified

4327BS Saddle Stitch **4327BF Flange Stitch – available on leather, suede or thick felt only**

Right Arm Facing. Fully upholstered. **Standard HR foam back pillow.** Brushed nickel base. The following Bernhardt Textiles are not suitable for application on this product: 3295, 3347, 3352, 3353 and 3360. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

When using a combination of fabrics or leathers for **4327AS, 4327BS or 4327BF**, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 6.3 yds leather: 115.1 sq. ft.
B) One fabric or leather for seat
yardage: 6.2 yds leather: 85.8 sq. ft.
C) One fabric or leather for back pillow
yardage: 4.1 yds leather: 60.7 sq. ft.

	Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
b.1	17½"	26¼"	33½"	33½"	30"	7.0 yds.	131.8'	75 lbs.	34.26'/1
b.1	17½"	26¼"	33½"	33½"	30"	7.0 yds.	131.8'	100 lbs.	34.26'/1
	445 mm	667 mm	851 mm	851 mm	762 mm	6.4 m	12.2 sqm	45.4 kg	.97 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2077	2217	2653	2715	2770	2801	2840	2886	2933	3003	3120	3229	3563

4390AS

4390AS Saddle Stitch

Corner Unit. Fully upholstered. **Loosely structured dacron wrapped foam back pillows.** Brushed nickel base. The following Bernhardt Textiles are not suitable for application on this product: 3295, 3347, 3352, 3353 and 3360. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

4390BS, 4390BF

GREENGUARD Certified

4390BS Saddle Stitch **4390BF Flange Stitch – available on leather, suede or thick felt only**

Corner Unit. Fully upholstered. **Standard HR foam back pillow.** Brushed nickel base. The following Bernhardt Textiles are not suitable for application on this product: 3295, 3347, 3352, 3353 and 3360. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

When using a combination of fabrics or leathers for **4390AS, 4390S or 4390BF**, the following yardage must be used and upcharges apply. See terms and conditions for contrasting fabric upcharges.

A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 3.5 yds leather: 69.1 sq. ft.
B) One fabric or leather for seat
yardage: 1.3 yds leather: 25.1 sq. ft.
C) One fabric or leather for back pillow
yardage: 2.1 yds leather: 37.7 sq. ft.

Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

b.1 4335P



GREENGUARD Certified

-	-	25"	2¼"	11"	1.5 yds.	2.5'	5 lbs.	.24'				
-	-	635 mm	57 mm	279 mm	1.4 m	.23 sqm	.4 kg	.1 cu.				

COM	COL	1	2	3	4	5	6	7	8	9	10	11
139	169	263	276	288	294	303	313	323	338	363	386	458

Accent pillow. Unstructured dacron-filled. Saddle stitch. Use with **4335, 4325 and 4315**. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.

b.1 4337P



GREENGUARD Certified

-	-	27"	2¼"	11"	1.5 yds.	2.5'	5 lbs.	.24'				
-	-	686 mm	57 mm	279 mm	1.4 m	.23 sqm	.4 kg	.1 cu.				

COM	COL	1	2	3	4	5	6	7	8	9	10	11
139	169	263	276	288	294	303	313	323	338	363	386	458

Accent pillow. Unstructured dacron-filled. Saddle stitch. Use with **4337, 4327 and 4317**. *All **COM/COL** fabrics must be preapproved by Bernhardt Design prior to application. Approved for GSA. Contract GS-28F-7040G.